

CANNON BUILDING 861 SILVER LAKE BLVD., SUITE 203 DOVER, DELAWARE 19904-2467

# STATE OF DELAWARE DEPARTMENT OF STATE

TELEPHONE: (302) 744-4500 FAX: (302) 739-2711 WEBSITE: WWW.DPR.DELAWARE.GOV

DIVISION OF PROFESSIONAL REGULATION

PUBLIC MEETING MINUTES: Board of Geologists

MEETING DATE AND TIME: Friday, April 13, 2012 at 10:00 a.m.

PLACE: 861 Silver Lake Boulevard, Dover, Delaware

Conference Room B, Cannon Building

MINUTES APPROVED: May 4, 2012

#### **MEMBERS PRESENT**

Scott Blaier, Vice President, Professional Member Maureen LaFate, Public Member Douglas Rambo, Professional Member Amos Aiken, Public Member

# **DIVISION STAFF/DEPUTY ATTORNEY GENERAL**

Sandra Wagner, Administrative Specialist III Danny Stevenson, Deputy Attorney General

## **MEMBERS ABSENT**

William "Sandy" Schenck, President, Professional Member David Reinhold, Secretary, Professional Member Patricia Ennis, Public Member

#### **PUBLIC PRESENT**

There was no public present for the Board meeting.

#### **CALL TO ORDER**

Mr. Blaier called the meeting to order at 10:05 a.m.

# **REVIEW OF MINUTES**

The Board reviewed the meeting minutes from the March 9, 2012 meeting. Mr. Aiken made a motion, seconded by Mr. Rambo, to approve the minutes. The motion was unanimously approved.

#### **OLD BUSINESS**

Re-review application for Genesh Dhakal-FG only

Mr. Blaier recommended this discussion under old business be tabled until the next meeting.

#### **NEW BUSINESS**

Strategic Plan

There was no discussion on the Strategic Plan other than there will be a Rules and Regulations hearing at the next meeting.

#### <u>Practice under Licensed Supervision</u>

There was no practice under licensed supervision for April's meeting.

Review of Continuing Education Approval Applications

# Christopher Horan – Ram's Horn Educational, LLC

Mr. Blaier summarized the application for the Board. Mr. Blaier made a motion, seconded by Mr. Aiken, to approve the course, Determining Hydraulic Conductivity While Low Flow Sampling, for 4.0 CEU's. The motion was unanimously approved.

## <u>Association of Environmental & Engineering Geologist</u>

Mr. Blaier summarized the application for the Board. Mr. Blaier made a motion, seconded by Mr. Aiken, to approve the course, BWH Section Field Trip-Loudoun County, VA, for 6 CEU's. The motion was unanimously approved.

#### Ram's Horn Educational, LLC

Mr. Blaier summarized the application for the Board. Mr. Rambo made a comment that the same course of Determining Hydraulic Conductivity While Low Sampling was previously approved under Christopher Horan. There is no need to make a motion for this Continuing Education Course Application. Ms. Wagner will let Ram's Horn Educational, LLC know that the course has been approved.

## Review of Application for Reciprocity

Mr. Blaier reviewed the application for Ms. Rosa Park-Jones with the Board. Mr. Blaier made a motion, seconded by Mr. Aiken, to grant licensure to Ms. Rosa Park-Jones by reciprocity. The motion was unanimously approved.

# Review of Applications for Examination

There were no applications for Examination to review.

## ASBOG Secretary 2013 Nominations

Mr. Blaier recommended tabling this discussion until the next meeting.

#### Complaint Assianments

There were no new complaint assignments for March.

## Complaint Status

There were no new complaints.

#### OTHER BUSINESS BEFORE THE BOARD (for discussion only)

There was no other business before the Board.

#### WALL CERTIFICATES

There were no certificates for signature in March.

# **PUBLIC COMMENT**

None

#### **NEXT SCHEDULED MEETING**

The next meeting is scheduled for May 4, 2012, at 10:00 a.m. in Conference Room B, second floor of the Cannon Building, 861 Silver Lake Boulevard, Dover, Delaware.

## **ADJOURNMENT**

There being no further business, Mr. Aiken made a motion, seconded by Mr. Rambo, to adjourn the meeting at 10:17 a.m. The motion was unanimously approved.

Respectfully submitted,

Board of Geologists April 13, 2012 Page 3

> Sandra Wagner – DE Board of Geologists Administrative Specialist III